

SAFETY DATA SHEET

FELLOWES 9974901 HFC FREE AIRDUSTER 350ML FLAMMABLE

Page 1 Issued: 29/08/2007

Revision No: 1

1. IDENTIFICATION OF THE SU	JBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING	
Product name:	FELLOWES 9974901 HFC FREE AIRDUSTER 350ML FLAMMABLE	
Product code:	210-50-041	
Company name:	Fellowes UK Ltd	
	Yorkshire Way	
	West Moor Park	
	Doncaster	
	South Yorkshire	
	DN3 3FB	
	UK	
	Tel: +44 (0)1302 836800	
	Fax: ++44 (0)1302 836899	
	Emergency tel: +44 (0) 1302 836800	
2. HAZARDS IDENTIFICATION		
Main hazards:	Extremely flammable.	
3. COMPOSITION / INFORMAT	ION ON INGREDIENTS	
Hazardous ingredients:	BUTANE 50-70%	
	EINECS: 203-448-7 CAS: 106-97-8	
	[F+] R12	
Contains:	Isobutane Cas No 75-28-5 Weight 20-30%	
	Propane Cas No: 74-98-6 Weight 20-30%	
4. FIRST AID MEASURES (SYM	IPTOMS)	
Skin contact:	There may be mild irritation at the site of contact.	
Eye contact:	There may be irritation and redness.	
Ingestion:	There may be irritation of the throat.	
Inhalation:	No symptoms.	
4. FIRST AID MEASURES (ACT	TION)	
Skin contact:	Wash immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
Ingestion:	Wash out mouth with water. Consult a doctor.	
Inhalation:	Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so.	
5. FIRE-FIGHTING MEASURES	۶	
Extinguishing media:	Carbon dioxide. Dry chemical powder. Alcohol or polymer foam.	
Exposure hazards:	Highly flammable. Vapour may travel considerable distance to source of ignition and flash back.	
· Protection of fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin	
-	and eyes.	

SAFETY DATA SHEET

FELLOWES 9974901 HFC FREE AIRDUSTER 350ML FLAMMABLE

6. ACCIDENTAL RELEASE MEASURES				
Personal precautions:	Refer to section 8 of SDS for personal protection details.			
7. HANDLING AND STORAGE				
Handling requirements:	Ensure there is sufficient ventilation of the area. Smoking is forbidden.			
Storage conditions:	Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of			
	ignition. Keep away from direct sunlight.			
8. EXPOSURE CONTROLS / PERSONAL PROTECTION				
Hazardous ingredients:	BUTANE			
	WEL (8 hr TWA): 1450 mg/m3 WEL (15 min STEL): 1810 mg/m3			
Engineering measures:	Ensure there is sufficient ventilation of the area.			
9. PHYSICAL AND CHEMICAL PROPERTIES				
State:	Aerosol			
Colour:	Colourless			
10. STABILITY AND REACTIVIT	Y			
Stability:	Stable under normal conditions.			
Conditions to avoid:	Heat. Sources of ignition. Direct sunlight. Hot surfaces. Flames.			
Materials to avoid:	Strong oxidising agents. Strong acids.			
Haz. decomp. products:	In combustion emits toxic fumes.			
11. TOXICOLOGICAL INFORMATION				
Routes of exposure:	Refer to section 4 of SDS for routes of exposure and corresponding symptoms.			
12. ECOLOGICAL INFORMATION				
Mobility:	Volatile.			
Persistence and degradability:	Biodegradable.			
Bioaccumulative potential:	No bioaccumulation potential.			
Other adverse effects:	Negligible ecotoxicity.			
13. DISPOSAL CONSIDERATIONS				
NB:	The user's attention is drawn to the possible existence of regional or national regulations			
	regarding disposal.			
14. TRANSPORT INFORMATION				
ADR / RID				
UN no:	1950 ADR Class: 2			
Classification code:	5F			
Shipping name:	AEROSOLS			
Labelling:	2.1			
	[cont.]		

Page 2

SAFETY DATA SHEET

FELLOWES 9974901 HFC FREE AIRDUSTER 350ML FLAMMABLE

IMDG / IMO UN no: 1950 Class: 2 EmS: F-D,S-U Marine pollutant: Labelling: 2.1 IATA / ICAO **UN no:** 1950 Class: 2 Labelling: 2.1 **15. REGULATORY INFORMATION** Hazard symbols: Extremely flammable. R12: Extremely flammable. **Risk phrases:** S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical Safety phrases: advice. S35: This material and its container must be disposed of in a safe way. S47: Keep at temperature not exceeding 50 °C. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S23: Do not breathe vapour. S24: Avoid contact with skin. Spray in short bursts. Do not use for any other purpose other than for the one it is intended. Do not use on live electrical equipment. Switch off equipment and allow to cool before use. Precautionary phrases: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions. **16. OTHER INFORMATION** Risk phrases used in s.3: R12: Extremely flammable. The above information is believed to be correct but does not purport to be all inclusive and shall Legal disclaimer: be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Page 3